





10 9 8 7 6 5 4 3 2 1




NOTES

- 製品番号:
 ナチュラル・錫めっき 560020-**20
 ナチュラル・金めっき 560020-**30
 黒・錫めっき 560020-**21
 赤・錫めっき 560020-**22
 青・錫めっき 560020-**23
 詳細寸法については、製品単体図面を参照ください。
 PART NO.
 NATURAL・Sn Plating 5600020-**20
 NATURAL・Au Plating 560020-**30
 BLACK・Sn Plating 5600020-**21
 RED・Sn Plating 5600020-**22
 BLUE・Sn Plating 5600020-**23
 SEE SALES DRAWING FOR CONNECTOR
- 梱包数量: 650個/REEL
 NUMBER OF CONNECTORS 650 PCS/REEL
- リードテープ長さ
 LEAD TAPE LENGTH

44mm or more
WIDTH TAPE
32mm WIDTH TAPE
24mm WIDTH TAPE



- 材料
 MATERIAL
 キャリアテープ: ポリスチレン
 CARRIER TAPE: POLYSTYRENE
 トッテープ: PET, PE, PEF
 TOP TAPE
 リール: ポリスチレン
 REEL: POLYSTYRENE
- 一般公差
 GENERAL TOLERANCES
 10 UNDER: 0.2
 10 OVER 30 UNDER: 0.25
 30 OVER: 0.3
 ANGULAR: ±1°




DETAIL X
(SCALE 10:1)

DIRECTION OF CONNECTOR
IN EMBOSSSED TAPE

REVISED EC NO: JTR2016-0015 DRWN:KINAGAI 2016/03/01 CHKD:HKOMATSU 2016/03/04 APPR: MAYAMOTO 2016/03/08	QUALITY SYMBOLS ▽E=0 ▽F=0 ▽G=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		mm	INCH	DRAWN BY YTAMAKI	DATE 2014/05/23	TITLE 2.0MM PITCH W/B ST. WAFER ASSY EMBOSSSED TAPE PACKAGE		
		4 PLACES ± --- ± ---	3 PLACES ± --- ± ---	CHECKED BY HKOMATSU	DATE 2014/05/23	DOCUMENT NO. SD-560020-003		
		2 PLACES ± --- ± ---	1 PLACE ± --- ± ---	APPROVED BY MAYAMOTO	DATE 2014/06/30			
		ANGULAR ± - °		SEE CHART				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

9 8 7 6 5 4 3 2 1



2CKTS

3CKTS

4CKTS

5CKTS


6CKTS

7CKTS

9CKTS

10CKTS

REVISED EC NO: JTR2016-0015 G DRW:KAGAI02 2016/03/01 CHKD:HKOMATSU 2016/03/04 APPR:YAYAMOTO 2016/03/08	QUALITY SYMBOLS $\nabla = 0$ $\nabla = 0$ $\nabla = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		4 PLACES ± --- ± ---	3 PLACES ± --- ± ---	DRAWN BY SHSHIBATA	DATE 2009/02/18	TITLE 2.0MM PITCH W/B CONN. WAFER ASSY ST. SMT		
		2 PLACES ± --- ± ---	1 PLACE ± --- ± ---	CHECKED BY HKOMATSU	DATE 2009/02/18	molex		
		0 PLACE ± --- ± ---	ANGULAR ± - °	APPROVED BY AKANESHIGE	DATE 2009/02/18	MATERIAL NO.	DOCUMENT NO. SD-560020-001	SHEET NO. 2 OF 4
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				



REVISED EC NO: JTR2016-0015 G DRW:KNAGA I02 2016/03/01 CHKD:HKOMATSU 2016/03/04 APPR:MIYAMOTO 2016/03/08	QUALITY SYMBOLS $F_s = 0$ $F_G = 0$ $F_P = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																	
		<table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>0 PLACE</td> <td>± ---</td> <td>± ---</td> </tr> </tbody> </table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± ---	± ---	1 PLACE	± ---	± ---	0 PLACE	± ---	± ---	DRAWN BY: SHSHIBATA DATE: 2009/02/18	TITLE: 2.0MM PITCH W/B CONN. WAFER ASSY ST. SMT		
			mm	INCH																				
		4 PLACES	± ---	± ---																				
3 PLACES	± ---	± ---																						
2 PLACES	± ---	± ---																						
1 PLACE	± ---	± ---																						
0 PLACE	± ---	± ---																						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	CHECKED BY: HKOMATSU DATE: 2009/02/18	molex																						
SEE CHART	APPROVED BY: AKANESHIGE DATE: 2009/02/18	MATERIAL NO.	DOCUMENT NO. SD-560020-001	SHEET NO. 3 OF 4																				

	10	9	8	7	6	5	4	3	2	1				
F	Sn NATURAL	11.8	29.1	33.7	36.6	560020-1520	15	Au NATURAL	11.8	29.1	33.7	36.6	560020-1530	15
		11.8	27.1	31.7	34.6	560020-1420	14		11.8	27.1	31.7	34.6	560020-1430	14
		11.8	25.1	29.7	32.6	560020-1320	13		11.8	25.1	29.7	32.6	560020-1330	13
		11.8	23.1	27.7	30.6	560020-1220	12		11.8	23.1	27.7	30.6	560020-1230	12
		11.8	21.1	25.7	28.6	560020-1120	11		11.8	21.1	25.7	28.6	560020-1130	11
		11.8	19.1	23.7	26.6	560020-1020	10		11.8	19.1	23.7	26.6	560020-1030	10
		11.8	17.1	21.7	24.6	560020-0920	9		11.8	17.1	21.7	24.6	560020-0930	9
		11.8	15.1	19.7	22.6	560020-0800/-0820	8		11.8	15.1	19.7	22.6	560020-0830	8
		11.8	13.1	17.7	20.6	560020-0700/-0720	7		11.8	13.1	17.7	20.6	560020-0730	7
		11.8	12	15.7	18.6	560020-0600/-0620	6		11.8	12	15.7	18.6	560020-0630	6
		9.8	10	13.7	16.6	560020-0500/-0520	5		9.8	10	13.7	16.6	560020-0530	5
		7.8	8	11.7	14.6	560020-0400/-0420	4		7.8	8	11.7	14.6	560020-0430	4
5.8	6	9.7	12.6	560020-0300/-0320	3	5.8	6	9.7	12.6	560020-0330	3			
6.3	/	8.0	10.9	560020-0200/-0220	2	6.3	/	8.0	10.9	560020-0230	2			
PLATING	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	PLATING	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	
CONNECTOR SERIES NO. 560020-**08							CONNECTOR SERIES NO. 560020-**18							

D	Sn BLACK	/	/	/	/	/	15	Sn RED	/	/	/	/	/	/	15	Sn BLUE	/	/	/	/	/	/	/	/	/	15		
		/	/	/	/	/	14		/	/	/	/	/	/	/		14	/	/	/	/	/	/	/	/	14		
		/	/	/	/	/	13		/	/	/	/	/	/	/		13	/	/	/	/	/	/	/	/	/	13	
		/	/	/	/	/	12		/	/	/	/	/	/	/		12	/	/	/	/	/	/	/	/	/	12	
		/	/	/	/	/	11		/	/	/	/	/	/	/		11	/	/	/	/	/	/	/	/	/	/	11
		/	/	/	/	/	10		/	/	/	/	/	/	/		10	/	/	/	/	/	/	/	/	/	/	10
		11.8	15.1	19.7	22.6	560020-0821	8		11.8	15.1	19.7	22.6	560020-0822	8	11.8		15.1	19.7	22.6	560020-0823	8							
		/	/	/	/	/	7		/	/	/	/	/	/	/		/	7	/	/	/	/	/	/	/	/	/	7
		11.8	12	15.7	18.6	560020-0621	6		11.8	12	15.7	18.6	560020-0622	6	11.8		12	15.7	18.6	560020-0623	6							
		/	/	/	/	/	5		/	/	/	/	/	/	/		/	5	/	/	/	/	/	/	/	/	/	5
		7.8	8	11.7	14.6	560020-0421	4		7.8	8	11.7	14.6	560020-0422	4	7.8		8	11.7	14.6	560020-0423	4							
		5.8	6	9.7	12.6	560020-0321	3		5.8	6	9.7	12.6	560020-0322	3	5.8		6	9.7	12.6	560020-0323	3							
6.3	/	8.0	10.9	560020-0221	2	6.3	/	8.0	10.9	560020-0222	2	6.3	/	8.0	10.9	560020-0223	2											
PLATING	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	PLATING	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	PLATING	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS								
CONNECTOR SERIES NO. 560020-**28							CONNECTOR SERIES NO. 560020-**48							CONNECTOR SERIES NO. 560020-**68														

REVISED	EC NO: JTR2016-0015	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM ONLY	SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
	DRINKNAGA I02 2016/03/01							4 PLACES ± --- ± ---	DRAWN BY	DATE	TITLE
	CHKD-HKOMATSU 2016/03/04							3 PLACES ± --- ± ---	SHSHIBATA	2009/02/18	2.0MM PITCH W/B CONN. WAFER ASSY ST. SMT
	APPR: MAYAMOTO 2016/03/08							2 PLACES ± --- ± ---	CHKD BY	DATE	
	1 PLACE ± --- ± ---	HKOMATSU	2009/02/18	molex							
	0 PLACE ± --- ± ---	APPROVED BY	DATE								
			ANGULAR ± - °	AKANESHIGE	2009/02/18	DOCUMENT NO.	SD-560020-001	SHEET NO.	4 OF 4		
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE CHART							
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							